

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	1	"5594448".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/04 13:40
L5	2444	235/492,451.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/04 13:40
L6	4028	235/492,451,472.02,449,450,493.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/04 13:41
L7	226	6 and (locat\$4 or measur\$4 or calculat\$4) near3 (position or location or distance) near7 (card or carrier or tag or RFID or label or transceiver or transponder)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/04 13:46
L8	27	6 and (locat\$4 or measur\$4 or calculat\$4) near3 (position or location or distance) near7 (card or carrier or tag or RFID or label or transceiver or transponder) same writ\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/04 13:46
L9	56	("705"/\$.ccls. "340"/\$.ccls.) and (locat\$4 or measur\$4 or calculat\$4) near3 (position or location or distance) near7 (card or carrier or tag or RFID or label or transceiver or transponder) same writ\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/04 14:05
L10	317	("705"/\$.ccls. "340"/\$.ccls. "235"/\$.ccls.) and (writ\$3 or stor\$4) near5 (location) near3 information with (tag or card or RFID or transponder or carrier or label)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/04 14:06
L11	139	("705"/\$.ccls. "340"/\$.ccls. "235"/\$.ccls.) and (writ\$3 or stor\$4) with (location) adj information with (tag or card or RFID or transponder or carrier or label)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/04 14:14
L12	93	11 and writ\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/04 14:15
L13	33	"340"/\$.ccls. and (RFID or RF) adj (tag or label or card) same writ\$4 same (track\$4 or locat\$3) same (antenna or coil)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/04 14:15
L14	5	("5619207").URPN.	USPAT	OR	ON	2005/05/04 14:25

L19	247	location near3 card near5 (detect\$4 or calculat\$4 or measur\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 15:33
L20	3403	340/572.1,825.36,825.49,539.13, 686.1.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 15:33
L21	350	20 and (card or carrier or id or tag or RFID or label) with (calculat\$4 or measur\$4 or determin\$5 or locat\$4) near3 (position or location)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 15:48
L22	12	20 and (card or carrier or id or tag or RFID or label) with (calculat\$4 or measur\$4 or determin\$5 or locat\$4) near3 (position or location) same writ\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 15:52
L23	216	235/375,435.ccls. and (card or carrier or id or tag or RFID or label) with (calculat\$4 or measur\$4 or determin\$5 or locat\$4) near3 (position or location)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 15:53
L24	4792	235/375,435.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 15:52
L25	28	235/375,435.ccls. and (card or carrier or id or tag or RFID or label) with (calculat\$4 or measur\$4 or determin\$5 or locat\$4) near3 (position or location) same writ\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 15:53
L26	106	235/375,435.ccls. and (card or carrier or id or tag or RFID or label) with (calculat\$4 or measur\$4 or determin\$5) near3 (position or location)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 15:53
L27	5	("5619207").URPN.	USPAT	OR	ON	2005/05/04 17:22
L28	74	342/42.ccls. and (card or tag or transponder or label) same (writ\$4)	USPAT	OR	ON	2005/05/04 17:22
L29	0	342/42.ccls. and (card or tag or transponder or label) with (calculat\$4 or determin\$5 or measur\$4) near3 (position or location)same (writ\$4)	USPAT	OR	ON	2005/05/04 17:23
L30	12	342/42.ccls. and (card or tag or transponder or label) with (calculat\$4 or determin\$5 or measur\$4) near3 (position or location) and(writ\$4)	USPAT	OR	ON	2005/05/04 17:44

L31	87	"342"/\$.ccls. and (card or tag or transponder or label) with (calculat\$4 or determin\$5 or measur\$4) near3 (position or location) and(writ\$4)	USPAT	OR	ON	2005/05/04 17:50
L32	42	"342"/\$.ccls. and (card or tag or transponder or label) with (calculat\$4 or determin\$5 or measur\$4) near3 (position or location) and(writ\$4) and voltage	USPAT	OR	ON	2005/05/04 17:56
L33	16	"342"/\$.ccls. and (card or tag or transponder or label) with (calculat\$4 or determin\$5 or measur\$4) near3 (position or location) same (strength or amplitude or voltage) and (writ\$4)	USPAT	OR	ON	2005/05/04 18:11
L34	13	"342"/\$.ccls. and (card) with (calculat\$4 or determin\$5 or measur\$4) near3 (location)	USPAT	OR	ON	2005/05/04 18:14
L35	18	"342"/\$.ccls. and (card) with (calculat\$4 or determin\$5 or measur\$4) near3 (position or distance)	USPAT	OR	ON	2005/05/04 18:16
L36	1464	("235"/\$.ccls. "705"/\$.ccls. "340"/\$.ccls. "342"/\$.ccls.) and (label or tag or RFID or carrier or card) with (calculat\$4 or determin\$5 or measur\$4) near3 (position or distance or location)	USPAT	OR	ON	2005/05/04 18:18
L37	66	("235"/\$.ccls. "705"/\$.ccls. "340"/\$.ccls. "342"/\$.ccls.) and (label or tag or RFID or carrier or card) with (calculat\$4 or determin\$5 or measur\$4) near3 (position or distance or location) same writ\$4	USPAT	OR	ON	2005/05/04 18:18
S1	30	(antenna or coil) with voltage with card with (position or location)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:21
S2	8	(contactless or "non contact" or "non-contact") with card with (position or location) with volt\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:25
S3	3	(contactless or "non contact" or "non-contact") with card same (position or location) same (antenna or coil) same volt\$4 near5:(detect\$4 or receiv\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:26
S4	121	(locat\$4 or position\$4) near5 (card or carrier or transponder or tag or label) same volt\$3 near4 (detetct\$4 or receiv\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:27

S5	253	(detect\$4 or locat\$4 or receiv\$4 or calculat\$4 or determin\$5) with (card or tag or label or RFIG or transponder) with (position or location) with (volt\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:38
S6	231	S5 not S4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:47
S7	336	("235"/\$.ccls. "705"/\$.ccls. "340"/\$.ccls.) and (position or location) with (card or carrier or tag or RFID or label) with (wave or signal) with (volt\$4 or strength or power)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:49
S8	6	("235"/\$.ccls. "705"/\$.ccls. "340"/\$.ccls.) and (position or location) with (card or carrier or tag or RFID or label) with (wave or signal) with (volt\$4 or strength or power) same (contactless or "non contact" or "non-contact" or smart) near3 card	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 14:49
S9	3	("3763355"   "5668365"   "6461196").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/03 14:50
S10	0	("6629637").URPN.	USPAT	OR	ON	2005/05/03 14:53
S11	23	(location or position) with card with volt\$4 same (antenna or coil)	USPAT	OR	ON	2005/05/03 14:57
S12	5	(location or position) with card with volt\$4 with (antenna or coil) same (smart or ic or chip) near5 card	USPAT	OR	ON	2005/05/03 15:00
S13	2	(magnitude or strength or level) near3 volt\$4 same (card or carrier) near5 (position or location or distance or displacement) near5 (determin\$5 or calculat\$4 or measur\$4 or estimat\$4)	USPAT	OR	ON	2005/05/03 15:02
S14	9	(magnitude or strength or level) near3 volt\$4 same (card or carrier) near5 (position or location or distance or displacement) with (determin\$5 or calculat\$4 or measur\$4 or estimat\$4)	USPAT	OR	ON	2005/05/03 15:04
S15	1	(position or location) near3 (determin\$4 or measur\$4 or calculat\$4) with (card or carrier) same (contactless or "non contact" or "non-contact") same (antenna or coil) same volt\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 15:20

S16	14	(position or location or distance or range or displacement) with (determin\$4 or measur\$4 or calculat\$4) with (card or carrier) same (contactless or "non contact" or "non-contact" or smart or chip) same (antenna or coil) same (strength or power or volt\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 15:44
S17	1666	(position or location or distance or range or displacement) with (determin\$4 or measur\$4 or calculat\$4) with (card or carrier) and (antenna or coil) same (strength or power or volt\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 15:45
S18	295	("235"/\$.ccls. "705"/\$.ccls. "340"/\$.ccls.) and S17	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 16:19
S19	16811	uchiyama.in.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 15:52
S20	1	uchiyama.in. and card same voltage same (location or distance)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 15:52
S21	4	fujitsu.as. and card same voltage same (location or distance)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 15:54
S22	296	(location or position or orientation) with card with voltage	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 15:57
S23	576	S18 S22	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 15:57
S24	1781	("235"/\$.ccls. "705"/\$.ccls. "340"/\$.ccls.) and (detect\$4 or calculat\$4 or measur\$4 or determin\$5) with (distance or position or location) with (voltage)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 16:20
S25	1109	("235"/\$.ccls. "705"/\$.ccls. "340"/\$.ccls.) and (detect\$4 or calculat\$4 or measur\$4 or determin\$5) near5 (distance or position or location) with (voltage)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 16:20
S26	163	("235"/\$.ccls. "705"/\$.ccls. "340"/\$.ccls.) and (detect\$4 or calculat\$4 or measur\$4 or determin\$5) near5 (distance or position or location) with (voltage) same (antenna or coil)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 16:21



S27	274	("235"/\$.ccls. "705"/\$.ccls. "340"/\$.ccls.) and (detect\$4 or calculat\$4 or measur\$4 or determin\$5) with (distance or position or location) with (voltage) same (antenna or coil)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 16:21
S28	36	("235"/\$.ccls. "705"/\$.ccls. "340"/\$.ccls.) and (detect\$4 or calculat\$4 or measur\$4 or determin\$5) with (distance or position or location) with (voltage) same (antenna or coil) same (card or carrier or tag or label or RFID or identifier or transponder)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 16:28
S29	4	("235"/\$.ccls. "705"/\$.ccls. "340"/\$.ccls.) and (detect\$4 or calculat\$4 or measur\$4 or determin\$5) near (distance or position or location) with (voltage) same (antenna or coil) same (card)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 16:29
S30	102	card with (position or location or distance) with (mouse or mousepad)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 16:37
S31	8	card near5 (IC or circuit or smart or contactless or "non contact" or "non-contact") with (position or location or distance) with (mouse or mousepad)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 16:39
S32	328	card near2 (IC or circuit or smart or contactless or "non contact" or "non-contact" or RFID or transponder) with (mouse or mousepad)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 16:40
S33	96	card near2 (IC or circuit or smart or contactless or "non contact" or "non-contact" or RFID or transponder) near5 (mouse or mousepad)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 16:40
S34	1	"6055592".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 16:41
S35	124	"235"/\$.ccls. and card with mouse	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 16:41

S36	22	(US-20030001726-\$ or US-20030001725-\$ or US-20040095291-\$ or US-20050007251-\$ or US-20050004702-\$ or US-20030122685-\$ or US-20030058107-\$ or US-20030034887-\$).did. or (US-6629637-\$ or US-5619207-\$ or US-3763355-\$ or US-5432328-\$ or US-6788199-\$ or US-6686881-\$ or US-6127917-\$ or US-6427065-\$ or US-5714932-\$ or US-5594448-\$ or US-5289163-\$ or US-6055592-\$).did. or (JP-2004132890-\$ or JP-03209930-\$).did.	US-PGPUB; USPAT; JPO	OR	ON	2005/05/03 16:46
S37	15	S36 and volt\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 16:46
S38	1	"6629637".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 17:30
S39	138	card same (writ\$4) same (position or location) same voltage	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 17:31
S40	8	jamara.xa. and mouse	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 17:36
S41	464	"235"/\$.ccls. and ((antennas or coils) or ((array or matrix or plurality) near5 (antenna or coil))) same card same read\$3 same writ\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 17:37
S42	288	S41 and (position or location or distance) with card	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 17:37
S43	83	S41 and (position or location or distance) near card	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 17:39
S44	183	(calculat\$4 or determin\$4 or measur\$4) with (distance or location) with (card or tag or label or transponder) same (antenna or coil) same (ic or contactless or chip or "non contact" or "non-contact" or smart or RFID or RF)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 17:42

S45	28	(calculat\$4 or determin\$4 or measur\$4) with (distance or location) with (card or tag or label or transponder) same (antenna or coil) same (ic or contactless or chip or "non contact" or "non-contact" or smart or RFID or RF) same voltage	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 17:48
S46	136	(calculat\$4 or determin\$4 or measur\$4) with (distance or location) with (card or tag or label or transponder) same (antenna or coil) same (voltage or strength or amplitude)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 17:57
S47	69	(calculat\$4 or determin\$4 or measur\$4) with (distance or location) with (card or tag or label or transponder) same (antenna or coil) same (voltage or strength or amplitude) and writ\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 19:23
S48	292	wireless with mouse same (position or location)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 19:23
S49	22	wireless with mouse same (position or location) same (voltage or field or strength)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 19:30
S50	1195	(tag or label or carrier or transponder or RFID or card) near3 (read\$3 or writ\$3) same (position or location) near3 (measur\$4 or calculat\$4 or determin\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 19:36
S51	725	(tag or label or carrier or transponder or RFID or card) near3 (read\$3 or writ\$3) same (position or location) near3 (measur\$4 or calculat\$4 or determin\$4) with (card or carrier or rfid or transponder or label or tag)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 19:31
S52	418	("705"/\$.ccls. "235"/\$.ccls. "902"/\$.ccls. "340"/\$.ccls.) and S50	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/03 19:32
S53	16	(tag or label or carrier or transponder or RFID or card) near3 (read\$3 or writ\$3) same (position or location) near3 (measur\$4 or calculat\$4 or determin\$4) same voltage	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 08:46



S54	2008	(tag or label or carrier or transponder or RFID or card) with (read\$3 or writ\$3) with (measur\$4 or calculat\$4 or locat\$4) near5 (position or distance or location)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 08:50
S55	472	S54 and ("235"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 08:50
S56	9	("235"/\$.ccls.) and card with (calculat\$4 or measur\$4 or locat\$4) near3 (position or distance or location) with (reader or reading or writer or writing) same (antenna or coil)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 08:55
S57	1072	card near7 (calculat\$4 or measur\$4 or locat\$4) near3 (position or distance or location) with (reader or reading or writer or writing)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 08:55
S58	3	("4833122" "20030160444" "5640447").pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 09:34
S59	30	(US-20030001726-\$ or US-20030001725-\$ or US-20040095291-\$ or US-20050007251-\$ or US-20050004702-\$ or US-20030122685-\$ or US-20030058107-\$ or US-20030034887-\$ or US-20040203846-\$ or US-20050012656-\$ or US-20010028302-\$ or US-20030222851-\$ or US-20050071234-\$).did. or (US-6629637-\$ or US-5619207-\$ or US-3763355-\$ or US-5432328-\$ or US-6788199-\$ or US-6686881-\$ or US-6127917-\$ or US-6427065-\$ or US-5714932-\$ or US-5594448-\$ or US-5289163-\$ or US-6055592-\$ or US-6204765-\$ or US-6456239-\$ or US-5686902-\$).did. or (JP-2004132890-\$ or JP-03209930-\$).did.	US-PGPUB; USPAT; JPO	OR	ON	2005/05/04 10:21
S60	16	S59 and writ\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 10:50
S61	1	"5619207".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 10:51

S62	1	"20030122685".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 10:52
S63	5	tuttle.in. and reservation with airline	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 10:52
S64	1	"6427065".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 10:58
S65	1	"20030001726".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 10:59
S66	1146	("235"/\$.ccls. "340"/\$.ccls.) and (determin\$5 or calculat\$4 or measur\$4 or locat\$4) near3 (position or location or presence) with (card or transceiver or transponder or RFID or tag or label) and writ\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 11:00
S67	471	("235"/\$.ccls. "340"/\$.ccls.) and (determin\$5 or calculat\$4 or measur\$4 or locat\$4) near3 (position or location or presence) with (card or transceiver or transponder or RFID or tag or label) and writ\$4 and read\$3 and volt\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 11:02
S68	384	("235"/\$.ccls. "340"/\$.ccls.) and (determin\$5 or calculat\$4 or measur\$4 or locat\$4) near3 (position or location or presence) near5 (card or transceiver or transponder or RFID or tag or label) and writ\$4 and read\$3 and volt\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 11:00
S69	382	("235"/\$.ccls. "340"/\$.ccls.) and (determin\$5 or calculat\$4 or measur\$4 or locat\$4) near3 (position or location or presence) with (card or transceiver or transponder or RFID or tag or label) and writ\$4 same read\$3 and volt\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 11:08
S70	123	("235"/\$.ccls. "340"/\$.ccls.) and (determin\$5 or calculat\$4 or measur\$4) near2 (position or location) near3 card	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/05/04 11:08

S71	17	("5157247"   "5182442"   "5212373"   "5220158"   "5326965"   "5362954"   "5532692"   "5610384"   "5619529"   "5670772"   "5698838"   "5721535"   "5754654"   "5774062"   "6021951"   "6079622"   "6172608").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/04 11:23
S72	17	card with (calculat\$4 or determin\$5 or measur\$4) near2 (location or position) with (card or tag or transponder) with voltage	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/04 12:07
S73	21	235/492.ccls. and (locat\$4 or calculat\$4 or measur\$4) near3 (location or position or distance) with card same (antenna or coil or voltage)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/04 12:08
S74	10	235/451.ccls. and (locat\$4 or calculat\$4 or measur\$4) near3 (location or position or distance) with card same (antenna or coil or voltage)	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/04 12:08
S75	26	S73 S74	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/04 13:39